



izvaraTM

ARCHITECTURAL GLASS HARDWARE

Floor Springs

General design, suitable for left or right hand to open the door in single and both sides.

Used low temp. hydraulic oil for any climate operation and constant lubrication.

Suitable for wooden and toughened glass doors.

Opening angle 90° / 115°



Tested to 5,00,000 Cycles
5 Years Guarantee





IZFS-6600

Single Spring Floor Hinge

Suitable for door weight from 50-70kgs

Closing force 15nm.

Suitable for maximum wide door leaf (800x2100mm)



IZFS-8400

Double Spring Floor Hinge

Suitable for door weight from 80-120kgs

Closing force 25nm.

Suitable for maximum wide door leaf (1100x2250mm).



IZFS-9400

Double Spring Floor Hinge

Suitable for door weight from 120-160kgs

Closing force 25nm.

Suitable for maximum wide door leaf (1200x2250mm).



IZFS-MFH Mini Floor Hinge



IZFS-ACC-TP/BP Top Pivot/Bottom Pivot for Wooden/Aluminium Doors



IZFS-ACC-GDP Top Pivot for Patch Fittings Doors

Hydraulic Patch




No
Digging Floor



IZHPF-100 Hydraulic Patch

Product Specification

- Suitable door weight : Max 100kg
- Suitable door width : 750~1000mm
- Suitable door thickness : 8~13mm
- Ambient temperature : -20°C~+50°C
- Quick and easy installation



Patch Fittings



IZPF-1
Big L



IZPF-2
Top Patch



IZPF-3
Bottom Patch



IZPF-4
Over Panel Patch



IZPF-41 (L)
Big L with Fin (Left)



IZPF-41 (R)
Big L with Fin (Right)



IZPL-1
Corner Patch Lock with Strike Plate



IZPF-41 DF
Over Panel & Side Panel Patch
(with Back to Back Fin)



IZPF-51
Double Over Panel Patch with Fin



IZPF-610
Small L



IZPF-620 (F)
Quadruple Patch with Fin



IZPF-630
Connector with Fin



IZPF-650
Glass to Glass Connecting Patch
with Wall/Ceiling



IZPF-660
Center Connector
(Glass to Glass)



IZPF-61
Double Over Panel Patch



IZPL-2A/2B
Center Patch Lock & Strike Box



IZPL-3A
Latch Lock



IZPL-3B
Strike Box



IZPF-610 L
Small L with Fin (Left/Right)



IZPF-610 R
Small L with Fin (Left/Right)



IZPF-610 ST
Over Panel Side Panel Patch Connector with Stopper



IZPF-620
Quadruple Patch



IZPF-640
Wall to Glass Connecting Patch



IZGDS-1
Glass Door Stopper

Shower Hinges

Door Thickness : 8mm-12mm * Weight Cap. : 45kg * Finish : Matt & Chrome Plated



IZSH-7

Pivot Hinge for Floor/Ceiling



IZSH-8

Double Glass Hinge Joint with Fixed Glass



Shower Hinges Brass Material : Forged Brass, Door Thickness : 8mm-12mm, Door Weight Cap. : 45kg., Finish : Matt & Chrome Plated



IZSH-1

Wall to Glass 90° Hinge



IZSH-2

Glass to Glass 180° Hinge



IZSH-3

Glass to Glass 135° Hinge



IZSH-4

Glass to Glass 90° Hinge



IZSH-5

Wall to Glass 90° Fix Bracket



IZSH-6

Wall to Glass 90° Off Set Hinge

Shower Hinges SS 304 Material : SS 304, Door Thickness : 8mm-12mm, Door Weight Cap. : 45kg., Finish : Matt & Chrome Plated



IZSH-11

Wall to Glass 90° Hinge



IZSH-22

Glass to Glass 180° Hinge



IZSH-33

Glass to Glass 135° Hinge



IZSH-44

Glass to Glass 90° Hinge



IZSH-55

Wall to Glass 90° Fix Bracket



IZSH-66

Wall to Glass 90° Off Set Hinge

NEW Shower Hinges SS 304 Material : SS 304, Door Thickness : 8mm-12mm, Door Weight Cap. : 45kg., Finish : Matt & Chrome Plated



IZSH-111

Wall to Glass 90° Hinge



IZSH-222

Glass to Glass 180° Hinge



IZSH-333

Glass to Glass 135° Hinge



IZSH-444

Glass to Glass 90° Hinge



IZSH-555

Wall to Glass 90° Fix Bracket



IZSH-666

Wall to Glass 90° Off Set Hinge

Glass Connectors

Material : Stainless Steel 304, Door Thickness : 8mm-12mm, Finish : Matt & Chrome Plated



IZGC-1

U Connector



IZGC-2

Glass to Glass 135°



IZGC-3

Glass to Glass 90°



IZGC-4

L Connector



IZGC-5

Glass to Glass 180°



IZGC-6

T-Connector (Three Glass 90°/180° Connector)

NEW Glass Connectors Material : Stainless Steel 304, Door Thickness : 8mm-12mm, Finish : Matt & Chrome Plated



IZGC-111

U Connector



IZGC-222

Glass to Glass 135°



IZGC-333

Glass to Glass 90°



IZGC-444

L Connector



IZGC-555

Glass to Glass 180°



Glass Connectors are Compatible with all Shower Hinges of SS Series

Shower Knight Head Accessories



IZKH-1
Wall to Rod (Dia 19mm)



IZKH-2
Rod to Glass (Dia 19mm)



IZKH-3
Rod to Rod (Dia 19mm)



IZKH-4
Rod to Glass (One Side Blind)



IZKH-5
Rod to Rod T Connector (Dia 19mm)



IZSKH-ACC-19
Connecting Tube Round (19mm)



IZSKH-11
Wall to Track Connector




IZSKH-22
Glass to Track Connector



IZSKH-44
90° Track Connector



IZSKH-44 A
Track to Track Connector with Glass Clamp



IZSKH-55
Connecting Track
Available in 1.65 Mt., 2.1 Mt. & 2.25 Mt.

Door Knobs



IZDK-1
Door Knob



IZDK-2
Door Knob



IZDK-3
Door Knob



IZRB-1
Reinforcing Bar (Wall to Glass)
Size : 890-1520 (maximum adjustment)




IZRB-2
Reinforcing Bar (Glass to Glass)
Size : 890-1520 (maximum adjustment)


Reinforcing Bar SS 304

For : 8/10/12mm Glass * Size : 2.2mtr / 2.5mtr


Plastic Profiles



IZPS-1




IZPS-2




IZPS-3



IZPS-4




IZPS-5




IZPS-6


Magnetic Profiles




IZPS-7



IZPS-M1 (180°)



IZPS-M2 (135°)



IZPS-M3 (90°)

Shower Sliding Systems-1



IZSL-11A
Shower Sliding Roller



IZSL-11C
Wall to Glass Connector
with Stopper



IZSL-11E
Wall to Rod Holder (Dia 25mm)



IZSL-11F
Glass to Rod Holder



IZSL-FG
Floor Guide



IZSL-11H
Rod to Rod Holder (Dia 25mm)



IZSL-11 SB
Stopper with Bumper



IZSL-11i
Stopper



IZSL-ACC-25
Shower Sliding Pipe

Shower Sliding Systems-2




IZSL-11-A1
Roller



IZSL-11-A2
Track to Glass Holder



IZSL-11-A3
Stopper



IZSL-11-A4
Floor Guide



IZSL-11-A5
Wall to Track Connector



IZSL-11-Track
Shower Sliding Track
(Available in 1.5 Mt, 1.8 Mt & 2.1 Mt)



Universal Sliding Systems



IZSL-22A
Office Sliding Roller




IZSL-33A
Office Sliding Roller



IZSL-33B
Door Stopper



IZSL-33H
Glass to Glass Connector 180°



IZSL-FG
Floor Guide



IZSL-33-TH-WL
Wall to Rod Holder



IZSL-33-TH-G2
Glass to Rod Clamp



IZSL-33-TH
Wall to Rod Clamp



IZSL-33-TH-C2
Ceiling to Rod Clamp



IZSL-ACC-25
Office Sliding Pipe



Sliding Folding System



IZSFS-1
Fixed Hinge



IZSFS-2
Glass to Glass Hinge



IZSFS-3
Hinge with Roller



IZSFS-4
End Hinge with Roller



IZSFS-5
Floor Fixed Hinge



IZSFS-6
Glass to Glass Hinge with Lock



IZSFS-7
Glass to Glass Hinge with Guide



IZSFS-8
End Hinge with Guide




IZSFS-9
Wall to Glass Hinge



IZSFS-11
Aluminium Top Track



IZSFS-10
Floor Track Bottom (S.S)



IZSFS-12
SS Cover for Top Track

Office and Residential Sliding Systems



IZSL-44-A1
Roller (S.S.)

Specification

- Four fiber reinforced plastic rollers of 30 mm diameter
- Stainless Steel Grade 304 glass holding point
- Height adjustable glass holding points (10 mm)
- Secure grip for the door
- Self aligning suspension of door
- Roller configuration for even distribution of load
- Independently connected rollers to prevent damage to track and rollers
- Suitable for 10 mm or 12 mm glass
- Suitable for door weight 40 kg.



IZSL-44-A2
Roller (Brass)

Specification

- Heavy duty sliding door roller
- Suitable for up to a door weight of 80 Kg
- Larger surface area for secure grip of the door
- Adjustable threaded rod for installation perfection
- Solid brass for glass holding



IZSL-44-R8
8 Wheel Rectangular Roller (SS)

Specification

- Material : Stainless steel 304 grade
- Finish : Satin stainless steel (SSS)



IZSL-44-U8
8 Wheel U Shape Roller (SS)

Specification

- Material : Stainless steel 304 grade
- Finish : Satin stainless steel (SSS)

CD-44 Curved Track Sliding Set



Knob Clamp Roller (SS)




Track Mounting Bracket



Track to Track 90° Bracket (Extra)



Floor Guide



Top Track



Door Stopper



Fastner

Office and Residential Sliding Systems




IZSL-44-A3
Stopper



IZSL-44-A5
Wall to Track Clamp



IZSL-44-A6
Glass to Track Clamp



IZSL-44-A8
90° Track Connector



IZSL-44-A9
Wall to Track Connector




IZSL-FG
Floor Guide



IZSL-HN-50
Sliding Handle



IZSL-HN-60
Sliding Handle



IZSL-HN-70
Sliding Handle (Square)



IZSL-HN-80
Sliding Handle (Rectangle)



IZSDL - LK
Sliding Lock (G to G)



IZSDL-13A+13C
Sliding Door Lock with Strike Plate



IZSDL-13A
Sliding Door Lock




IZSDL-13B
Strike Box



IZSDL-13D
Strike Box For Over Lap Glass




IZSL-44-B1
Aluminium Track (Single Slide)
Available in 2mtr., 3mtr. & 4mtr.



IZSL-44-B2
Aluminium Track (Double Slide)
Available in 2mtr., 3mtr. & 4mtr.



IZSL-44-B3
Aluminium Track (Slide+Fix Glass)
Available in 2mtr., 3mtr. & 4mtr.



IZSL-45
Inter Locking Glazing Profile
For 8,10 & 12mm Glass
Available in 3mtr.

Spider Fitting

Spider with Fin (Available in 200mm Distance)



IZSP-A4
4 Way Spider with Fin



IZSP-A44
2 Way Spider 90° for Wall/Ceiling



IZSP-A2
2 Way Spider 180° with Fin



IZSP-A22
1 Way Spider for Wall/Ceiling

Spider without Fin (Available in 200mm & 220mm Arm Distance)



IZSP-B1
1 Way Spider without Fin



IZSP-B2 (90°)
2 Way Spider without Fin



IZSP-B2 (180°)
2 Way Spider without Fin




IZSP-B3
3 Way Spider without Fin



IZSP-B4
4 Way Spider without Fin



IZSP-B 90 Four Way
Spider without Fin (90°)



Fin Plates



IZFP-200
Fin Plate 200mm



IZFP-300
Fin Plate 300mm



IZFP-350
Fin Plate 350mm



IZFP-400
Fin Plate 400mm

Splice Plates



IZSP-200
Splice Plate 200mm



IZSP-250
Splice Plate 300mm



IZSP-300
Splice Plate 300mm



IZSP-350
Splice Plate 300mm

Routels



IZSP-AFB-36FL
Articulated Routel



IZSP-FB-36CS
Articulated Routel
with Counter Sunk Hole



IZSP-FB-FL
Fix Routel (Flat Head)



IZSA-01
Iron Assembly

* Customized solutions can be provided according to the requirements of projects.

Locks Without Cutout



IZGL-11
Single Door Lock (Only Key)



IZGL-22
Double Door Lock (Only Key)



IZGL-33
Single Door Lock (Key & Knob)




IZGL-44
Double Door Lock (Key & Knob)



IZGL-5
Double Door Lock (Only Key)



IZGL-6
Single Door Lock (Only Key)



IZGL-7
Double Door Lock (Key & Knob)



IZGL-8
Single Door Lock (Key & Knob)



IZGL-55
Single Door Lock (Only Knob)



IZGL-66
Double Door Lock (Only Knob)



IZGL-13 Double Door Lock
(One Side Knob)



IZGL-14 Single Door Lock
(One Side Knob)



IZLK-15
Double Glass Door Lock



IZLK-16
Single Glass Door Lock (Big)



IZLK-17
Single Glass Door Lock (Small)



IZGL-18
Latch Bolt, Dead Bolt With Strike Box



IZGL-19
Latch Bolt With Strike Plate

Glass Door Pull Handles



IZDH-1

Sizes :
25x302x327mm
25x420x450mm
32x450x482mm
32x568x600mm



IZDH-2

Sizes :
25x240x325mm
32x302x457mm
32x480x600mm
32x600/700x900mm
32x900x1200mm



IZDH-3

Sizes :
38x302x457mm




IZDH-4

Sizes :
25x250x350mm
32x302x457mm
32x420x600mm



IZDH-5

Size :
38x302x457mm
38x450x600mm



**IZDH-11
ADJUSTABLE**

Sizes :
25x200x350mm
32x302x457mm
32x450x600mm



**SS/PSS
IZDH-SS-6**

Sizes :
25/25x302x327mm
30/30x420x450mm
30/30x450x480mm
30/30x570x600mm



**TW/PSS
IZDH-WSS-6**

Sizes :
25/25x302x327mm
30/30x420x450mm
30/30x450x480mm
30/30x570x600mm



IZDH-WSS-7

Sizes :
38x302x500mm
38x430x850mm



IZDH-WSS-8

Sizes :
15/30x280x350mm
25/45x302x450mm
25/45x454x550mm



IZDH-WSS-9

Size :
38/25x302x450mm



IZDH-VSS-10

Glass Door Pull Handles



SS/PSS

IZDH-13

Sizes :
25x200x350mm
32x302x457mm
32x450x600mm



TW/PSS

IZDH-13

Sizes :
25x200x350mm
32x302x457mm
32x450x600mm



SS/PSS

IZDH-12

Sizes :
25x200x350mm
32x302x457mm
32x450x600mm



TW/PSS

IZDH-12

Sizes :
25x200x350mm
32x302x457mm
32x450x600mm



IZDH-14 TW/PSS

2 Sizes :
25x200x350mm
32x302x457mm
32x450x600mm



IZDH-CRY104
Cake Clear



IZDH-CRY106
Silver Black



IZDH-CRY113
Kohinoor



IZDH-CRY114
Cake Mirror



IZDH-CRY115
Cake Mirror



SS/PSS

IZDH-15

Size :
35x1125x11500mm



SS/PSS

IZDH-16

25x1050x1340mm

Shower Handle



IZDH-TB-01

Sizes :
19x152x457CC
25x152x457CC



IZDH-TB-03

Sizes :
19x152x457CC
25x152x457CC



IZDH-TB-02

Sizes : 15/30x152x457CC

Canopy Fittings



IZCF-1
Wall to Glass Connector



IZCF-2
Rod to Glass Connector



IZCF-3
Wall to Rod Connector



IZCR (16mm)
Canopy Rod with Thread



IZCF-11
Wall to Glass Connector



IZCF-22
Adjustable Glass
Connector for IZCF-44



IZCF-33
Wall Connector for IZCF-44



IZCF-44
Threaded Sleeve for Rod



IZCF-55
Canopy Fitting Spider

Point Fixed Glass Connectors

Customized solutions can be provided according to the requirements of the project.



IZPC-01
Glass to Glass (Adjustable)



IZPC-02
Wall to Glass (Fix)



IZPC-03
Wall to Glass (Adjustable)



IZPC-04
Glass to Glass (Adjustable with Fin)



Mini Hinges (For 5mm-10mm Glass)



IZH-1
Wall to Glass Hinge



IZH-2
Glass to Glass Hinge



IZH-3
Wall to Glass Hinge



IZH-4
Glass to Glass Hinge



IZH-5
Wall to Glass Hinge
(4-6mm) (8-10mm)

Bracket Shelf Holders



IZBH-1
Single Shelf Holder
(10-12mm)



IZBH-2
Double Shelf Holder
(10-12mm)



IZBH-3
Single Shelf Holder
(10-12mm)



IZBH-4
Double Shelf Holder
(10-12mm)



IZBH-5
Double Shelf Holder
(10-12mm)

Glass Railing Accessories



IZRA-1
Spigot



IZRA-2
Spigot



IZRA-3
Spigot



IZRA-4
Spigot (100 mm, 150mm)



IZRA-5
Spigot (100 mm, 150mm)



IZRA-6
Wall to Track
Glass Connector



IZRA-7
Glass to Handrail
Connector



IZRA-8
Wall to Handrail
Connector



IZRA-9
Glass to Handrail
Connector



IZRA-10 Glass Connector
for Baluster with Flat Back



IZRA-11 Glass Connector
for Baluster with Round Back



IZRA-12
Wall to Glass Holder



IZRA-13
(Single Slotted Round Pipe)



IZRA-14
(Double Slotted Round Pipe)



IZRA-15
(Single Slotted Curve Pipe)



IZRA-16
(Single Slotted Square Pipe)



IZRA-17
(Slotted Pipe Jointer 180°)



IZRA-18
Slotted Pipe Jointer 90°



IZRA-19
(Slotted Pipe
Jointer L-Type 90°)



IZRA-20
(Straight Jointer)




IZRA-21
(Wall to Slotted Pipe Jointer)



IZRA-22
(Slotted Pipe End Cap)

Frame less Wire System



Partition Fittings

Material :- Stainless Steel 304

1 Set Contain

Holder (2 Pcs)

Hinge (1 Pair)

Indicating Lock (1 Pcs)

Handle (1 Pair)

connecting Angle (12 Pcs)

Hook (1 Pcs)



Holder



Handle



Connection Angle



Indicating Lock



Hinge



Hook

izvara™
ARCHITECTURAL GLASS HARDWARE

